

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library

The Guide

US Patent & Trademark Office

+"line removal" -hidden

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used line removal hidden

Found 43 of 145,831

Sort results by Display

results

relevance

expanded form

Save results to a Binder ? Search Tips

Open results in a new

window

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 43

Result page: 1 2 3

Relevance scale

1 Session 3: Solution of Scott's problem on the number of directions determined by a point set in 3-space

Janos Pach, Rom Pinchasi, Micha Sharir

June 2004 Proceedings of the twentieth annual symposium on Computational geometry

Full text available: (357.36 KB) Additional Information: (all otation, abstract, references, index terms

Let P be a set of n points in \mathbb{R}^3 , not all in a common plane. We solve a problem of Scott (1970) by showing that the connecting lines of P assume at least 2n-7 different directions if n is even and at least 2n-5 if n is odd. The bound for odd n is sharp.

Keywords: Scott's Conjecture, Ungar's Theorem, directions, slope problem, three dimensions

2 Combinatorial geometry: A tight bound for the number of different directions in three dimensions

Janos Pach, Rom Pinchasi, Micha Sharir

June 2003 Proceedings of the nineteenth annual symposium on Computational geometry

Full text available: nodf(269.83 KB) Additional Information: full citation, abstract, references, index terms

Let P be a set of n points in \mathbb{R}^3 , not all of which are in a plane and no three on a line. We partially answer a question of Scott (1970) by showing that the connecting lines of P assume at least 2n-3 different directions if n is even and at least 2n-2 if n is odd. These bounds are sharp. The proof is based on a far-reaching generalization of Ungar's theorem concerning the analogous problem in the plane.

Keywords: Ungar's theorem, directions, slope problem

Session 4A: A unified analysis of hot video schedulers Wun-Tat Chan, Tak-Wah Lam, Hing-Fung Ting, Wai-Ha Wong May 2002 Proceedings of the thiry-fourth annual ACM symposium on Theory of

Additional Information: full citation, abstract, references, citings, index

Full text available: pdf(247.88 KB)

computing

In this paper we consider the notion of relative competitive analysis, which is a simple

http://portal.acm.org/results.cfm?coll=ACM&dl=ACM&CFID=31511133&CFTOKEN=71... 11/15/04

generalization of the conventional competitive analysis and extra-resource analysis for online algorithms. We apply this analysis to study on-line schedulers for stream merging in two different video-on-demand (VOD) systems, which are based on two common approaches, namely, piggybacking and skimming. Our new analysis, in its simplest form, reveals a 3-competitive algorithm for stream merging based on skimmi ...

The Generation of Minimal Trees with a Steiner Topology
Shi-Kuo Chang
October 1972 Journal of the ACM (JACM), Volume 19 Issue 4
Full text available: Coli(704.77 KB) Additional Information: full otation, references, citings, index terms

5 A study of source-level compiler algorithms for automatic construction of pre-execution code
Dongkeun Kim, Donald Yeung
August 2004 ACM Transactions on Computer Systems (TOCS), Volume 22 Issue 3
Full text available: pdf(1.55 MB) Additional Information: full citation, abstract, references, index terms

Pre-execution is a promising latency tolerance technique that uses one or more helper

Pre-execution is a promising latency tolerance technique that uses one or more helper threads running in spare hardware contexts ahead of the main computation to trigger long-latency memory operations early, hence absorbing their latency on behalf of the main computation. This article investigates several source-to-source C compilers for extracting pre-execution thread code automatically, thus relieving the programmer or hardware from this onerous task. We present an aggressive profile-driven co ...

Keywords: Data prefetching, memory-level parallelism, multithreading, pre-execution, prefetch conversion, program slicing, speculative loop parallelization

6 Dynamic metrics for java

Bruno Dufour, Karel Driesen, Laurie Hendren, Clark Verbrugge
October 2003 ACM SIGPLAN Notices, Proceedings of the 18th annual ACM SIGPLAN
conference on Object-oriented programing, systems, languages, and
applications, Volume 38 Issue 11

Full text available: pdf(222.67 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

In order to perform meaningful experiments in optimizing compilation and run-time system design, researchers usually rely on a suite of benchmark programs of interest to the optimization technique under consideration. Programs are described as *numeric*, *memory-intensive*, *concurrent*, or *object-oriented*, based on a qualitative appraisal, in some cases with little justification. We believe it is beneficial to quantify the behaviour of programs with a concise and precisely ...

Keywords: Java, dynamic metrics, execution traces, optimization, profiling, program analysis, software metrics

7 System papers: exploration and retrieval tools: Sketch-based retrieval of ClipArt drawings

Manuel Fonseca, Bruno Barroso, Pedro Ribeiro, Joaquim Jorge
May 2004 Proceedings of the working conference on Advanced visual interfaces

Full text available: pdf(151.48 KB) Additional Information: full citation, abstract, references, index terms

These days there are a lot of vector drawings available for people to integrate into

Full text available: pdf(788.57 KB)

documents. These come in a variety of formats, such as Corel, Postscript, CGM, WMF and recently SVG. Typically, such ClipArt drawings tend to be archieved and accessed by categories (e.g. food, shapes, transportation, etc.). However, to find a drawing among hundreds of thousands is not an easy task. While text-driven attempts at classifying image data have been recently supplemented with query-by-image content, ...

Keywords: drawing simplification, sketch and content-based retrieval

8	Highly available systems for database applications	****
	Won Kim	
	March 1984 ACM Computing Surveys (CSUR), Volume 16 Issue 1	
	Full text available: pdf(2.43 MB) Additional Information: full citation, abstract, references, citings, index terms, review	
	As users entrust more and more of their applications to computer systems, the need for systems that are continuously operational (24 hours per day) has become even greater. This paper presents a survey and analysis of representative architectures and techniques that have been developed for constructing highly available systems for database applications. It then proposes a design of a distributed software subsystem that can serve as a unified framework for constructing database applica	
	Semiconductor technology: trends and implications Dileep P. Bhandarkar, J. Egil Juliussen	***
	August 1978 ACM SIGARCH Computer Architecture News, Volume 7 Issue 1	
	Full text available: pol(748.60 KB) Additional Information: full citation, references	
		Γ
10	The Bell Telephone Laboratories automatic graphic schematic drawing program	***
	William R. DeHaan January 1966 Proceedings of the SHARE design automation project	
	-	
	Full text available: pdf(924.56 KB) Additional Information: full citation, abstract, citings, index terms	
	This paper describes an Automatic Schematic Drawing program developed at Bell Telephone Laboratories. This computer drawing program is written in the Macro Assembly Language. It is designed to permit the automatic generation of schematic drawings for digital equipment. Data—regarding electrical components and connectivity—is extracted from a master design file and processed by the program on either the IBM 7090/94 or IBM 7040/44 computer. Graphic output is provided by the Stromb	
11	Fault-tolerance and fault-intolerance: Complementary approaches to reliable computing	***
	Algirdas Avižienis	

Two complementary methods which are employed in order to assure reliable computing are fault-intolerance and fault-tolerance. Fault-intolerance depends on the elimination of the causes of unreliability prior to the start of the computing process while fault-tolerance employs protective redunuancy during the computing process in order to detect and to correct unreliable functioning. A balanced allocation of reliability resources between the two metho ...

terms

(ox , asa/o)

	Туре	Hits	Search Text	US-PGP	DBs
н	IS&R	4	(("6282326") or ("6317223")).PN.		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	8	("4649436" "5214470" "5223951" "5436979" "5583659" "5974194" "6035072" "6125213").PN.		US-PGPUB; USPAT; USOCR
ω	BRS	0	("6317223").URPN.		USPAT
4	BRS	2	("6282326").URPN.		USPAT
G	BRS	7	("4912559" "5054098" "5214470" "5583659" "5949901" "5956435" "6035072").PN.		US-PGPUB; USPAT; USOCR
0	BRS	-	((vertical adj1 line) near3 (remoc\$3 delet\$3 detect\$3)) with real\$1time		time US-PGPUB; USPAT;
7	BRS	-	((vertical adj1 line) near3 (remoc\$3 delet\$3 detect\$3)) same real\$1time		Ltime US-PGPUB; USPAT;
8	BRS	- р-	((vertical adj1 line) near3 (remov\$3 delet\$3 detect\$3)) same real\$1time		1time US-PGPUB; USPAT;
9	BRS	605	((vertical adj1 line) near3 (remov\$3 delet\$3 detect\$3))		US-PGPUB; USPAT; USOCR
10	BRS	10	(vertical adj1 line adj1 removal)		US-PGPUB; USPAT; USOCR
11	BRS		S9 same (difference with histogram)		US-PGPUB; USPAT; USOCR
12	BRS	20	S9 with difference		US-PGPUB; USPAT; USOCR
13	BRS	415	((vertical adj1 line) near3 (detect\$3))		US-PGPUB; USPAT; USOCR
14	BRS	97	((vertical adj1 line) adj1 (detect\$3))		US-PGPUB; USPAT; USOCR
15	BRS	18	S13 with difference		US-PGPUB; USPAT; USOCR

27	26	25	24	23	22	21	20	19	18	17	16	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
43	489	4093	1245	2954	2	17	11	Ŭi	563	14740	72440	Hits
S26 and ((binari\$6 bi\$1level black\$5white) adj1 image)	S25 and (line near3 (detect\$3 remov\$3))	S23 or S24	358/463;700/4,5.ccls.	382/170,174,202,270,275,289,304.ccls.	(line adj1 scratch adj1 removal)	(line near3 detect\$3) with difference with project\$3	(line near3 detect\$3) with difference with histogram	(line adj1 detect\$3) with difference with histogram	(line adj1 detect\$3) with difference	(line adj1 detect\$3)	(line near3 detect\$3)	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	DBs
2004/11/16 08:51	2004/11/16 08:49	2004/11/16 08:49	2004/11/16 08:48	2004/11/17 10:47	2004/11/15 16:48	2004/11/15 16:36	2004/11/15 16:36	2004/11/15 16:27	2004/11/16 10:10	2004/11/15 16:27	2004/11/15 16:32	Time Stamp
					-							Error Com Defi ments nitio n
												Error Defi Error nitio s
	,				,			- , =	,,	-,,	(0)	Error
S27	S26	S25	S24	S23	S22	S21	S20	S19	S18	S17	S16	Ref#

43 E	42 E	41 E	40	39 E	
BRS	BRS	BRS	BRS	BRS	Туре
119	29	468	1282	1968	Hits
382/163.ccls.	(correct\$3 same (pixel with (selective\$2 adj1 output\$4)))	(pixel with ((selective\$2) adj1 (output\$4)))	(line with ((selective\$2) adj1 (output\$4)))	1968 (line same ((selective\$2) adj1 (output\$4)))	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
2004/11/17 10:49	2004/11/16 16:37	2004/11/16 16:36	2004/11/16 16:35	2004/11/16 16:35	Time Stamp Com Defi Error Ref #
					Com
					Error Defi I nitio
			(0		Error
S43	S42	S41	S40	S39	? ef #

♦ IEEE

33 33	
BEE HOWE	
SEARCH LEEF	
40%	
-,*.*-	
\$ m	
WEE ACCOUNT	
COMTACT	
3 (888	

<i>CHILLIANI</i>	TO S
	4.
111111880000000001111111	1
THE STATE OF THE S	0.7
11111188 1111111	100
	106
	200
1111188	50
H	200
<i> </i>	**
11111188889881111	
\$1111 8	
***************************************	N
**************************************	11
1111.38078811933	
THE PROPERTY.	~
HERRICH HILLIAM	- 1
STREET,	73
THE PERSON AND PROPERTY.	26
THE PARTIES	1
Allilly Book willing	44
1111,004411188 11111	
Illian	100
1111111 WASH WASH	1
HILLY TOR HILL	101
Allilli Book Ballilli	
The state of the s	ÇΑ.
Miss Illening Bounds	Ai.
Illing soon willing	111
1111111 888819 8861111111	10.1
Ill. AM. IBB. Illilli	
11::1134466641111111	
Illilli and the little	
This second the second	1.0
200 XXXX 400 80 XXXXXX	
N. 38.38 85.3000	
202222222222222	
800000000000000000000000000000000000000	20
200000000000000000000000000000000000000	14.
200000000000000000000000000000000000000	30.0
***************************************	14
	18
	100
	7
	Att.
	100

:33	
333	
57	473
-23	æ
X	÷.
NA.	4.
2.99	***
303	n's
277	***
33	400
e.s.	
	2
- ER	342
•	34
-55	PK4
United States Pa	1

Welcoma United States Patent and Trademark Office

Careers/Jobs

IEEE Xplore®
I Millian Documents
I Millian Users

Search Results

Help

FAO

Terms

IEEE Peer Review

Quick Links

Y Monte

O Winds Can

O Lug-out

- O Journals Mayazines
- Counterance Counterance

1

- O Crossites

MOD ACCOUNT

Your search matched 17 of 1094442 documents

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.

Refine This Search:

new one in the text box. You may refine your search by editing the current search expression or entering a

(line removal<in>ab)

Search

Check to search within this result set

Results Key

JNL = Journal or Magazine CNF = Conference, STD = Standard

three dimensions A fast algorithm for plotting and contour filling radiation patterns in

Peters, T.J.;

Meeting., IEEE , 18-25 July 1992 Pages:896 - 899 vol.2 Digest. Held in Conjuction with: URSI Radio Science Meeting and Nuclear EMP Antennas and Propagation Society International Symposium, 1992. AP-S. 1992

[Abstract] [PDF Full-Text (196 KB)] IEEE CNF

2 Extraction of rounded and line objects for the improvement of medical image pattern recognition

Conference Record , Volume: 4 , 30 Oct.-5 Nov. 1994 Nuclear Science Symposium and Medical Imaging Conference, 1994., 1994 IEEE Lo, S.-C.B.; Chien, M.; Jong, S.; Li, H.; Freedman, M.T.; Lin, J.-S.J.; Mun, S.K.;

Pages:1802 - 1806 vol.4

D Print Format

Abstract] [PDF Full-Text (452 KB)] IEEE CNF

3 Real-time visual tracking of complex structures

Drummond, T.; Cipolla, R.;

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume:

24 , Issue: 7 , July 2002

Pages:932 - 946

[Abstract] [PDF Full-Text (3995 KB)] IEEE JNL

4 Composite power system health analysis using a security constrained adequacy evaluation procedure

Billinton, R.; Guangbin Lian;

Power Systems, IEEE Transactions on , Volume: 9 , Issue: 2 , May 1994

Pages:936 - 941

[Abstract] [PDF Full-Text (532 KB)] IEEE JNL

5 Electrical measurement of submicrometer contact holes

Lin, B.J.; Underhill, J.A.; Sundling, D.L.; Peck, B.B.;

Semiconductor Manufacturing, IEEE Transactions on , Volume: 2 , Issue: 3 , Aug.

1989

Pages:76 - 81

[Abstract] [PDF Full-Text (560 KB)] IEEE JNL

 $_{\rm 6}$ A system for constructing boundary representation solid models from a two-dimensional sketch

Varley, P.A.C.; Martin, R.R.;

Geometric Modeling and Processing 2000. Theory and Applications.

Proceedings , 10-12 April 2000

Pages:13 - 32

[Abstract] [PDF Full-Text (248 KB)] IEEE CNF

documents 7 Line removal and restoration of handwritten characters on the form Jin-Yong Yoo; Min-Ki Kim; Sang Yong Ban; Young-Bin Kwon;

Conference on , Volume: 1 , 18-20 Aug. 1997 Document Analysis and Recognition, 1997., Proceedings of the Fourth International

Pages:128 - 131 vol.1

Abstract [PDF Full-Text (312 KB)] **IEEE CNF**

transform Fast line detection using major line removal morphological Hough

Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th Leo Chin Sim; Schroder, H.; Leedham, G.;

International Conference on , Volume: 4 , 18-22 Nov. 2002

Pages:2127 - 2131 vol.4

[Abstract] [PDF Full-Text (391 KB)] IEEE CNF

9 Towards efficient roadway network topology with pre-processing

Kai Hock Quek; Srikanthan, T.;

Conference on , 2002 Intelligent Transportation Systems, 2002. Proceedings. The IEEE 5th International

Pages:511 - 516

[Abstract] [PDF Full-Text (419 KB)] IEEE CNF

10 Continuous approach to segmentation of handwritten text

Mestetskii, L.M.; Reyer, I.A.; Sederberg, T.W.;

Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International Workshop on , 6-8 Aug. 2002

Pages:440 - 445

[Abstract] [PDF Full-Text (394 KB)] IEEE CNF

11 Design options for a pulsed-power upgrade of the Z accelerator

Struve, K.W.; Corley, J.P.; Johnson, D.L.; Harjes, H.C.; McDaniel, D.H.; Shoup,

R.W.; Smith, D.L.; Stygar, W.A.; Weinbrecht, E.A.;

Pulsed Power Plasma Science, 2001. PPPS-2001. Digest of Technical

Papers , Volume: 1 , 17-22 June 2001

Pages:569 - 572 vol.1

[Abstract] [PDF Full-Text (467 KB)] IEEE CNF

12 Progressive 3D reconstruction from a sketch drawing

Beom-Soo Oh; Chang-Hun Kim;

Computer Graphics and Applications, 2001. Proceedings. Ninth Pacific Conference

on , 16-18 Oct. 2001

Pages:108 - 117

Abstract]

[PDF Full-Text (909 KB)] IEEE CNF

adjusting feature weights 13 Interfered-character recognition by removing interfering-lines and

Yi-Hong Tseng; Hsi-Jian Lee;

Pattern Recognition, 1998. Proceedings. Fourteenth International Conference

on , Volume: 2 , 16-20 Aug. 1998

Pages:1865 - 1867 vol.2

[Abstract] [PDF Full-Text (60 KB)] IEEE CNF

Nonlinear operators for edge detection and line scratch removal

Kim, N.-D.; Udpa, S.

Systems, Man, and Cybernetics, 1998. 1998 IEEE International Conference

on , Volume: 5 , 11-14 Oct. 1998

Pages:4401 - 4404 vol.5

[Abstract] [PDF Full-Text (428 KB)] IEEE CNF

15 Field results demonstrate reliability gains through improved cooling

Hugge, P.B.;

Aerospace and Electronics Conference, 1994. NAECON 1994., Proceedings of the

IEEE 1994 National , 23-27 May 1994

Pages:185 - 188 vol.1

[Abstract] [PDF Full-Text (348 KB)] IEEE CNF

N Next

Copyright © 2004 IEEE — All rights reserved